

Fenix公式 Twitter Facebook 開設しました!











HL26R



BRIGHTEN YOUR TRAILS

Lightweight rechargeable trail running headlamp

Max 450 Lumens








ULTRA LIGHTWEIGHT DESIGN

Innovative integrated structure greatly decreases the volume and weight. HL26R is only 86 grams including headband and battery.





CHOICE OF SPOTLIGHT OR FLOODLIGHT

Spotlight is ideal for long distance vision during running; floodlight is perfect for close-range lighting and emergency usage.









100° WIDE ANGLE DESIGN









MULTIPLE OUTPUTS WITH IMPRESSIVE RUNTIME

HL26R has three regular spotlight output levels. The runtime of Med mode can be up to 12 hours which perfectly meets the demand of whole night running.

Output	Runtime		
130 Lumens	6 hours		
70 Lumens	12 hours		
30 Lumens	25 hours		



450 LUMENS BURST MODE

In any situation, press the spotlight switch for 1.2s to activate the 450 lumens burst mode.

If no other action is taken after activating Burst mode, the headlamp will downshift to the last used spotlight output level after 1 minute.








The built-in 5.92 Wh rechargeable Li-polymer battery, provides high power that is equivalent to 7 AAA batteries or 2.5 AA batteries and extends up to 100 hours runtime.





POWER LEVEL INDICATION AND LOW POWER WARNING





With the lamp off, single clicking on the floodlight switch will light up indication LED's for 3 seconds. The more LED's light up, the more battery power remains.



When the power is low, with the lamp switched on, one of the indication LED's will flash as a charging reminder.







CHOICE OF THREE COLORS





PARAMETER TABLE

ANSI/PLATO FL1 STANDARD								
MODE	Spotlight Mode			Floodlight Mode				
	Burst	High	Med	Low	High	Low	sos	
OUTPUT	450 Lumens	130 Lumens	70 Lumens	30 Lumens	40 Lumens	4 Lumens	40 Lumens	
RUNTIME	1h 30min*	6h	12h	25h	13h	100h	26h	
DISTANCE	100m	57m	42m	30m	10m	4m		
INTENSITY	2564cd	810cd	450cd	225cd	24cd	4cd		
IMPACT RESISTANCE	1m							
WATER RESISTANCE	IP66							

Note: The abovementioned parameters (lab-tested by using Li-polymer rechargeable battery 3.7V/1600mAh) may vary between headlamps, batteries and environments.

^{*}Due to the overheat protection, the runtime of the Burst mode is estimated.





- Uses Cree XP-G2 R5 white LED and Nichia white LEDs with a lifespan of 50,000 hours
- Built-in 1600mAh Li-polymer battery
- Micro USB charging port, USB charging cable included
- 65mm Length x 44mm Width x 37mm Height (2.6 ×1.7×1.5 in)
- 86 grams /3.0 oz (including battery)
- Digitally regulated output maintains constant brightness
- Overcharging and over-discharging protection to protect the battery and circuit from damage
- Spotlight and floodlight separately controlled by two switches
- 60 degree tilt mechanism directs the beam where needed
- Made of quality PC and aluminum
- Integrated injection molded shell
- Battery level indication
- Reflective and sweat-block headband





INCLUDED IN THE PACKAGE

- 1* HL26R (with built-in Li-polymer battery)
- 1* USB charging cable
- 1* User manual
- 1* Warranty card

Size: 150*103*44mm / 5.9*4.1*1.7 in

Gross Weight: 165g / 5.8 oz.



Fenix公式 Twitter Facebook 開設しました!









