

ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

LA-CO Industries, Inc.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
according to Canadian Hazardous Products Regulations (HPR)
Date of issue: 11/04/2015

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Marking.

1.3. Details of the supplier of the safety data sheet

LA-CO Industries, Inc.
1201 Pratt Boulevard
Elk Grove Village, IL. 60007-5746
Phone: (847) 956-7600
Fax: (847) 956-9885
E-mail: customer_service@laco.com

1.4. Emergency telephone number

Emergency number : 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification in accordance with the Globally Harmonized Standard

Not classified

2.2. Label elements

GHS-US labelling

No labelling applicable

2.3. Other hazards

2.4. Unknown acute toxicity (GHS US)

35.72 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
36.72 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
36.25 percent of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

| Name | Product identifier | % (w/w) | GHS-US classification |
|--------------------------------|---------------------|---|-----------------------|
| Silicon dioxide (cristobalite) | (CAS No) 14808-60-7 | 0 – 0.89 HC Fluorescent Pink, HC Orange 0 – 0.98 Orange 0 – 0.91 Fluorescent Pink 0 – 0.99 Green 0 – 0.99 Blue, HC Blue | Carc. 1A, H350 |
| Carbon black | (CAS No) 1333-86-4 | 1.7 Black | Carc. 2, H351 |

Full text of H-statements: see section 16

ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
according to Canadian Hazardous Products Regulations (HPR)

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Never give anything by mouth to an unconscious person. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Gently wash with plenty of soap and water. |
| First-aid measures after eye contact | : In case of contact, immediately flush eyes with plenty of water. |
| First-aid measures after ingestion | : Get medical advice/attention if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------|---------------|
| Symptoms/injuries | : None known. |
|-------------------|---------------|

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|---|
| Suitable extinguishing media | : Use extinguishing media appropriate for surrounding fire. |
| Unsuitable extinguishing media | : None known. |

5.2. Special hazards arising from the substance or mixture

| | |
|-------------|---|
| Fire hazard | : No particular fire or explosion hazard. |
| Reactivity | : No dangerous reactions known. |

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Firefighting instructions | : Use extinguishing media appropriate for surrounding fire. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. Wear a self contained breathing apparatus. Wear fire/flame resistant/retardant clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|-------------------------------------|
| General measures | : Avoid contact with skin and eyes. |
|------------------|-------------------------------------|

6.1.1. For non-emergency personnel

| | |
|----------------------|-----------------------------------|
| Protective equipment | : Wear suitable gloves. |
| Emergency procedures | : Evacuate unnecessary personnel. |

6.1.2. For emergency responders

| | |
|----------------------|-------------------------|
| Protective equipment | : Wear suitable gloves. |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|--|
| For containment | : Contain and collect as any solid. |
| Methods for cleaning up | : Sweep spilled substance into containers; if appropriate, moisten first to prevent dusting. |

6.4. Reference to other sections

Section 7: safe handling.

ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
according to Canadian Hazardous Products Regulations (HPR)

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.
Incompatible products : Strong acids. Strong oxidizers.
Prohibitions on mixed storage : Incompatible materials.
Storage area : Store in dry, cool, well-ventilated area.

7.3. Specific end use(s)

Marking.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

| | | |
|---|------------------------|--|
| ACGIH | Not applicable | |
| OSHA | Not applicable | |
| Carbon black (1333-86-4) | | |
| ACGIH | ACGIH TWA (mg/m³) | 3.5 mg/m³ |
| ACGIH | Remark (ACGIH) | Bronchitis |
| OSHA | OSHA PEL (TWA) (mg/m³) | 3.5 mg/m³ |
| Canada (Quebec) | VEMP (mg/m³) | 10 mg/m³ (Fibres de carbone et de graphite; Poussière totale) 5 mg/m³ (Fibres de carbone et de graphite; Poussière respirable) 3.5 mg/m³ |
| Silicon dioxide (cristobalite) (14808-60-7) | | |
| ACGIH | ACGIH TWA (mg/m³) | 0.025 mg/m³ |
| ACGIH | Remark (ACGIH) | (respirable dust) |
| OSHA | OSHA PEL (TWA) (ppm) | 250 mppcf |
| OSHA | Remark (OSHA) | (3) See Table Z-3. |
| Canada (Quebec) | VEMP (mg/m³) | 0.1 mg/m³ |
| Canada (Quebec) | Notations and remarks | (la poussière respirable), (C2) |

8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Hand protection : Use rubber gloves.
Eye protection : None under normal use.
Respiratory protection : None under normal use.
Other information : Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
according to Canadian Hazardous Products Regulations (HPR)

| | |
|---|-------------------------------|
| Appearance | : A solid crayon-like marker. |
| Colour | : Variable. |
| Odour | : odourless. |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Log Pow | : No data available |
| Log Kow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| Carbon black (1333-86-4) | |
|----------------------------|-----------------------------|
| LD50 oral rat | > 8000 mg/kg |
| LC50 inhalation rat (mg/l) | > 4.6 mg/m ³ 4 h |

Skin corrosion/irritation : Not classified

ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
according to Canadian Hazardous Products Regulations (HPR)

| | |
|--|-------------------|
| Serious eye damage/irritation | : Not classified. |
| Respiratory or skin sensitisation | : Not classified. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified. |

| Carbon black (1333-86-4) | |
|--|--|
| IARC group | 2B - Possibly carcinogenic to humans, Inhalation of dust |
| National Toxicology Program (NTP) Status | Not listed in carcinogenicity class |

| Silicon dioxide (cristobalite) (14808-60-7) | |
|--|--|
| IARC group | 1 - Carcinogenic to humans, Inhalation of dust |

| | |
|--|-----------------------------------|
| Reproductive toxicity | : Not classified. |
| Specific target organ toxicity (single exposure) | : Not classified |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| Potential adverse human health effects and symptoms | |
| Likely routes of exposure | : Inhalation;Skin and eye contact |

SECTION 12: Ecological information

12.1 Toxicity

No additional information available

12.2. Persistence and degradability

| Carbon black (1333-86-4) | |
|---------------------------------|----------------------------|
| Persistence and degradability | Not readily biodegradable. |

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

| | |
|---------------------------------|---|
| Sewage disposal recommendations | : Do not dispose of waste into sewer. |
| Waste disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations. |

SECTION 14: Transport information

In accordance with DOT and TDG

Not considered a dangerous good for transport regulations

| | |
|----------------------------------|------------------|
| Proper Shipping Name (ADR) | : Not applicable |
| Transport hazard class(es) (ADR) | : |

Transport by sea

| | |
|-----------------------------------|---|
| Transport hazard class(es) (IMDG) | : |
|-----------------------------------|---|

Air transport

| | |
|-----------------------------------|---|
| Transport hazard class(es) (IATA) | : |
|-----------------------------------|---|

ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
according to Canadian Hazardous Products Regulations (HPR)

SECTION 15: Regulatory information

15.1. US Federal regulation

Carbon black (1333-86-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Silicon dioxide (cristobalite) (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Carbon black (1333-86-4)

Listed on the Canadian DSL (Domestic Substances List) inventory.

Silicon dioxide (cristobalite) (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List) inventory.

EU-Regulations

Carbon black (1333-86-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Silicon dioxide (cristobalite) (14808-60-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

All components are listed on the EEC inventory European Inventory of Existing Commercial Chemical Substances (EINECS).

All ingredients are listed in the Toxic Substances Control Act (TSCA).

All ingredients are listed on the Canadian Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL).

15.3. US State regulations

ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

State or local regulations

California Prop. 65 warnings are not required.
The carbon black in this product is bound and is not respirable.

Carbon black (1333-86-4)

U.S. - California -
Proposition 65 -
Carcinogens List

U.S. - California -
Proposition 65 -
Developmental Toxicity

U.S. - California -
Proposition 65 -
Reproductive Toxicity -
Female

U.S. - California -
Proposition 65 -
Reproductive Toxicity -
Male

Non-significant
risk level (NSRL)

Yes

No

No

No

Carbon black (1333-86-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

Silicon dioxide (cristobalite) (14808-60-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Indication of changes


: Original Document.

ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Black, Blue, Fluorescent Green, Fluorescent Orange, Fluorescent Pink, Fluorescent Tangerine, Fluorescent Yellow, Green, Emerald Green, Light Blue, Orange, Purple, White, Yellow; HC ALL-WEATHER® PAINTSTIK® LIVESTOCK MARKER Blue, Fluorescent Green, Fluorescent Pink, Green, Emerald Green, Orange

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
according to Canadian Hazardous Products Regulations (HPR)

| | |
|----------------------------|---|
| Data sources | : ACGIH (American Conference of Government Industrial Hygienists). European Chemicals Agency (ECHA) C&L Inventory database. Accessed at http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database . Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html . |
| Abbreviations and acronyms | : ATE: Acute Toxicity Estimate. CAS (Chemical Abstracts Service) number. CLP: Classification, Labelling, Packaging. EC50: Environmental Concentration associated with a response by 50% of the test population. GHS: Globally Harmonized System (of Classification and Labeling of Chemicals). LD50: Lethal Dose for 50% of the test population. OSHA: Occupational Safety & Health Administration. PBT: Persistent, Bioaccumulative, Toxic. TWA: Time Weight Average. TSCA: Toxic Substances Control Act. |
| Other information | : None. |
| NFPA health hazard | : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials. |
| NFPA fire hazard | : 1 - Must be preheated before ignition can occur. |
| NFPA reactivity | : 0 - Normally stable, even under fire exposure conditions, and not reactive with water. |



Full text of H-statements:

| | |
|----------|------------------------------|
| Carc. 1A | Carcinogenicity, Category 1A |
| Carc. 2 | Carcinogenicity, Category 2 |
| H350 | May cause cancer |
| H351 | Suspected of causing cancer |

SDS Prepared by: The Redstone Group, LLC
6077 Frantz Rd.
Suite 206
Dublin, OH USA 43016
T 614-923-7472
www.redstonegrp.com

LACO NA GHS SDS

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product