

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)
Issue date: 5/24/2021 Revision date: 6/14/2021 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Marking.
Restrictions on use : Any use not specified

1.3. Supplier

LA-CO Industries
1201 Pratt Blvd.
Elk Grove Village, IL, 60007-5746
US
T 847-956-7600 - F 847-956-9885
customer_service@laco.com

1.4. Emergency telephone number

Emergency number : 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887;
全国应急中心 0532 8388 9090

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS labelling

No labelling applicable

2.3. Other hazards which do not result in classification

No data available

2.4. Unknown acute toxicity (GHS)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS classification
Aluminium powder (stabilised)	CAS-No.: 7429-90-5	15 - 25	Flam. Sol. 1, H228 Water-react. 2, H261

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

First-aid measures general	: Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Gently wash with plenty of soap and water.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None known.

5.2. Specific hazards arising from the chemical

Fire hazard : No particular fire or explosion hazard.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Keep upwind.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Wear fire/flame resistant/retardant clothing. Wear a self contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : This product is not hazardous.

6.1.1. For non-emergency personnel

Protective equipment	: Refer to section 8.2.
Emergency procedures	: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment	: Refer to section 8.2.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Contain and collect as any solid.
Methods for cleaning up	: Wipe up with absorbent material (for example cloth).

6.4. Reference to other sections

Section 13: disposal information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage area : Store in dry, cool, well-ventilated area.

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills

No data available

Aluminium powder (stabilised) (7429-90-5)

USA - ACGIH - Occupational Exposure Limits

Local name Aluminum metal

ACGIH TWA (mg/m³) 1 mg/m³

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA [1] 15 mg/m³ (total dust)
5 mg/m³ (respirable dust)

USA - NIOSH - Occupational Exposure Limits

NIOSH REL TWA 10 mg/m³

NIOSH REL C 5 mg/m³

Remark (NIOSH) (total dust)

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

None under normal use.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : A solid crayon-like marker.
Colour : Silver
Odour : No data available
Odour threshold : No data available
pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Acids. Alkali. Oxidizer.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Aluminium powder (stabilised) (7429-90-5)

LD50 Oral rat	> 15900 mg/kg
LC50 Inhalation rat	> 2.3 mg/l/4h

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Likely routes of exposure	: Skin and eye contact.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Other information	: No data available.

SECTION 12: Ecological information

12.1. Toxicity

Aluminium powder (stabilised) (7429-90-5)	
LC50 fish 1	> 218.64 mg/l ASTM 2000; test material: aluminium chloride hexahydrate; Pimephales promelas
EC50 crustacea	1.4 mg/l OECD Guideline 202; test material: Aluminium hydroxide
LOEC (acute)	72.89 mg/l
NOEC (acute)	37.2 mg/l

12.2. Persistence and degradability

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills	
Ecology - soil	Not established.

12.5. Other adverse effects

Other information	: No data available.
-------------------	----------------------

SECTION 13: Disposal considerations

13.1. Disposal methods

Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Not applicable
Proper Shipping Name (TDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT)	: Not applicable
----------------------------------	------------------

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

TDG

Transport hazard class(es) (TDG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable

Packing group (TDG) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Aluminium powder (stabilised)	CAS-No. 7429-90-5	15 - 25%
-------------------------------	-------------------	----------

15.2. International regulations

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills

All ingredients are listed on the Canadian Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL).

Aluminium powder (stabilised) (7429-90-5)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on Taiwan National Chemical Inventory

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on KECL/KECI (Korean Existing Chemicals Inventory)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

Component	State or local regulations
Aluminium powder (stabilised)(7429-90-5)	U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs); U.S. - Idaho - Occupational Exposure Limits - Ceilings; U.S. - Minnesota - Hazardous Substance List; U.S. - New York - Right to Know List of Hazardous Chemicals; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Washington - Permissible Exposure Limits - TWAs; U.S. - Washington - Permissible Exposure Limits - STELs

Weld-Riter® Silver-Streak® Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil, Weld-Riter® Silver-Streak® Mechanical Pencil Refills, Markal Pro Silver Streak Refills

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

SECTION 16: Other information

Revision date	: 06/14/2021
Data sources	: European Chemicals Agency (ECHA) C&L Inventory database. Accessed at http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database . Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. TSCA Chemical Substance Inventory. Accessed at http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html . European Chemicals Agency (ECHA) Registered Substances list. Accessed at http://echa.europa.eu/ . NIOSH Occupational Health Guide for chemical Substances - Vol. II, September, 1978. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. WHMIS: The Workplace Hazardous Materials Information System: Canada's national hazard communication standard.
Other information	: None.


Full text of H-statements

H228	Flammable solid.
H261	In contact with water releases flammable gases.

Abbreviations and acronyms

	ATE: Acute Toxicity Estimate
	CAS (Chemical Abstracts Service) number
	CLP: Classification, Labelling, Packaging.
	EC50: Environmental Concentration associated with a response by 50% of the test population.
	GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).
	LD50: Lethal Dose for 50% of the test population
	OSHA: Occupational Safety & Health Administration
	PBT: Persistent, Bioaccumulative, Toxic
	TWA: Time Weighted Average
	TSCA: Toxic Substances Control Act

NFPA health hazard	: 1 - Materials that, under emergency conditions, can cause significant irritation.
NFPA fire hazard	: 1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	: 0 - Normally stable, even under fire exposure conditions, and not reactive with water.



Indication of changes:

GHS classification.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.